This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

LANE MEDICAL LIBRARY STANFORD
X971 .C98 1872 STOR
Leucorrhoea, its concomitant symptoms, a
24503373300

Dr. Lilienthal,
230 W. 25th St., New York.

THE PROPERTY OF
Hahnemann Medical College of the Pacific.

Donated by
Estate of Dr. Lilienthal



230 W. 25th St., New York.

THE PROPERTY OF
Hahnemann Medical College of the Pacific.

Donated by
Estate of Dr. L. Lieuthal

THE PROPERTY OF
Hahnemann Medical College of the Pacific.

Donated by
Estate of Dr. Salienthal

LEUCORRHŒA,

ITS

CONCOMITANT SYMPTOMS,

AND ITS

HOMŒOPATHIC TREATMENT.

BY

A. M. CUSHING, M.D.

LYNN, MASS.
THOS. P. NICHOLS, PRINTER,
No. 24 MARKET STREET.
1872.

LANE LIBRARY

Entered according to Act of Congress, in the year 1872, by

A. M. CUSHING,

In the Office of Clerk of the District Court of the United States, for the District of Massachusetts.

WI
298
1872

INTRODUCTORY.

This little work is a compilation from *all* the works at my command, interspersed with the clinical experience of sixteen years' practice. It is intended to save the busy practitioner many a weary hour of study, and to guide the beginner and student along the road to true Scientific Healing.

Study, learn, prescribe. If the low dilutions fail you, *don't be afraid to* GO UP.

The blank space after each remedy is left for additions or alterations, instead of blank interleaves. It is hoped that every physician who may possess this book will make all possible additions, and all necessary alterations, till finally it may become a very valuable work.

A. M. C.

59112

LEUCORRHŒA.

Aconite.

Copious, tenacious, yellowish leucorrhœa, with *much irritability* of the *system*, fever, thirst, *vertigo on rising up*. Bloody leucorrhœa. Leucorrhœa relieved by cold washes, especially after rheumatism. Pains *worse at night*. Menses increased and profuse; red urine; watery diarrhœa; white stools.

Acid Mur.

Leucorrhœa, with *exceeding soreness of the anus*, either from piles or fissure. She *cannot bear the least touch upon the anus*, which often itches violently, and is not relieved by scratching. *Menses too early and profuse. Frequent* and profuse urination. Watery or bloody stool, with violent *smarting and burning in the rectum and anus.*

Acid Nit.

Leucorrhœa, consisting of mucus *which can be drawn out;* greenish mucus; cherry brown; fetid; flesh colored;

offensive; like brown water; after the menses, or mercurial treatment. Frequently *violent itching* of the genitals; always coming on towards evening; sometimes when walking. Stitches in the vagina, shooting upwards. Takes cold easily, which aggravates the leucorrhœa and itching. *Menses too early and profuse.* During the menses, toothache. Brown urine, which has a strong odor, and stains the linen brown. *Desire to urinate, at night*, with cutting pain in the abdomen. *Nightly desire to urinate.* Painless suppression of urine. *Fetid* urine. *Hard, scanty stool. Long pressing when going to stool. Constant unsuccessful desire for stool. Bloody stool.* Epistaxis at *night;* never in the day time. She cannot sleep after two o'clock in the morning. She awakens suddenly from sleep, greatly startled at some imaginary frightful event. Green leucorrhœa immediately after menses.

Acid Phos.

Thin, acrid, mucous leucorrhœa. *Leucorrhœa after the menses Desire to urinate*, with scanty emission. *Frequent urination. Frequent desire for stool. White gray diarrhœa.*

Acid Sul.

Painless leucorrhœa; *acrid, burning* leucorrhœa. Bloody mucous from the vagina. *Menses too early.*

Menses too late, with pain in the small of the back and in the abdomen. *Retention of urine* and stool.

Æsculus Hip.

Leucorrhœa, with lameness of the back across the *sacro iliac articulations.* The back *gives out* in walking even *but a little ways.* The pain extends from the back to the abdomen, *accompanied by piles* and with burning, *tenesmus and itching of the rectum.* Old cases of Leucorrhœa; discharge worse after a menstrual period, increased by walking; of a dark, yellow color, thick & sticky; corrodes the fabric, with aching in the sacrum & thighs.

Agnus Castus.

Leucorrhœa. Suppression of the menses. Urine frequent, abundant, and dark color. Loose stools. *Deficient secretion of milk in lying-in women.*

Aletris Far.

Leucorrhœa with debility, *with great tendency to abortion.* Premature and profuse menses.

Alumina.

Profuse, purulent, yellow, corroding leucorrhœa; worse before and after the menses. *Frequent acrid* and *profuse* leucorrhœa. *Discharge of flesh-colored liquid*, after the menses. Transparent mucous leucorrhœa, *running down to the heels in large quantities; only in the day time.* Itching of the vulva in consequence of the discharge. Burning in the genitals, and more particularly *in the rectum.* Leucorrhœa like lymph in the afternoon and night. Menses scanty and pale. A thick white sediment in the urine. Want of action of the rectum, requiring much straining. Inability to pass urine except at stool. *Vertigo;* everything seems to turn in a circle. *Diarrhœa, attended with tenesmus. Difficulty in swallowing;* small pieces only can be swallowed. Impaired taste; everything tastes flat, or like straw, or is tasteless. Most of the symptoms worse in sitting posture; relieved by walking.

Ambra Grisa.

Leucorrhœa only at night; bluish white mucous leucorrhœa. Discharge of thick mucous, preceded by stitches in the vagina. Menses too early. Increased, turbid urine. *Constipation.* Stitches in the vagina when drawing in the abdomen or by pressure upon it; sitting, turning in bed; by vagina during menstruation; genitals or parts sore, swollen & very sensitive.

Ammonium Carb.

Violent, acrid leucorrhœa: At times a burning, watery discharge from the uterus. Particularly indicated if the discharge *smells of ammonia.* Pains in the small of the back; a sort of griping between the shoulders. The patient almost always has the headache after walking in the open air. *She does not wish to talk or to hear others talk.* Sleepy and heavy during the whole day. She sleeps badly at night unless she retires early; *the later she retires the greater difficulty she has in getting to sleep.* Particularly suited to *sickly, weak, delicate females,* who are *constantly resorting to the smelling bottle,* and who say it does them good. Right side more affected than the left. Symptoms aggravated in the open air and in the evening. *Violent pressure of urine upon the bladder. Several emissions of urine at night, some of them copious. Retarded and hard stool.* Watery burning discharge from the uterus.

Ammonium Mur.

Leucorrhœa like the *white of an egg,* preceded by pain around the navel. Brown, slimy leucorrhœa after every discharge of urine. Leucorrhœa with distension of the abdomen. *The menses appear two days too soon, with pain in the bowels and small of the back.* Inclination to urinate at four o'clock, A.M. *Several loose stools during the day.* Pain around the navel, preceding the usual stool. Coldness of the back between the shoulders; coldness of the feet in bed.

Anacardium.

Leucorrhœa, causing itching, with soreness of the parts. Great loss of memory. Constant desire to urinate, but passes but little. *Frequent urging to stool during the day, without being able to expel anything.*

Antimonium Crudum.

Discharge of acrid water from the vagina, which causes a *biting sensation down the thighs*. Frequent profuse urination at night, with discharge of mucous from the vagina. Frequent, violent desire to urinate, at times emitting large quantities, at other times but little. *Liquid stool. Discharge of solid excrements and blood.* Profuse acrid discharge with mixed flaps. Menstrid or otherwise, discharging acrid water & pus. Thick milky white coating of the tongue.

Aralia Racem.

Acrid, offensive leucorrhœa; after confinement, debility. Pressing down pains in the uterus; feeble state of the nervous system; great debility; chronic uterine catarrh.

Argentum Nit.

Mucous leucorrhœa. Congestion of the uterus. Soreness of the vagina. *Emission of a few drops of urine after urinating, with a sensation as if the interior of the*

urethra was swollen. Stools *greenish; very fetid mucous, with emission of noisy flatulence.* Bloody discharges from dilated os uteri and adjacent parts, attended with pain in the back and great debility of the lower extremities.

Arnica.

Leucorrhœa *after injuries*, as confinement, polypi, hydatides, &c. Tenesmus of the neck of the bladder. Brown urine, with *brick dust sediment.* Frequent small stools, consisting only of slime.

Arsenicum Alb.

Acrid, corrosive, thick yellow leucorrhœa. Leucorrhœa *whilst standing*, and *emitting flatulence.* Leucorrhœa at the time of the menses. Leucorrhœa instead of the menses. Various forms of leucorrhœa, in women who are very pale, with white, waxy appearance of the skin. They are *very weak, so that a slight effort fatigues them;* they sleep badly, and have tiring dreams; in their dreams everything seems to "go wrong;" this worries and tires them so that they awaken more fatigued and unrefreshed than when retiring. They are of a *chilly nature*, and require much clothing. Dread of drinking cold water because *it remains cold in the stomach. Menses too early and too profuse.* Frequent urging to urinate. *Involuntary urination*, even at night, during sleep. Urine scanty or increased. Urine dark yellow or colorless. Constipa-

tion. *Diarrhœa, with burning*, and tenesmus during stool. Better when lying down. Worse when walking.

Aurum Met.

Profuse leucorrhœa, which excoriates the perineum and the inner sides of the thighs, with vesicular eruption on the parts and back. Labor-like pains in the abdomen, as if the menses would appear. Painful retention of urine, with pressure in the bladder. Passes more urine than corresponds to the quantity of liquid drank. Constipation. Nightly diarrhœa, with burning in the rectum. chronic metritis with malposition.

Baptisia Tinct.

Acrid, fetid leucorrhœa. Virulent leucorrhœa, with frequent miscarriages. Ulceration of the osuteri and vagina. Debilitated state of the system. Menses too soon and profuse. Urine increased, high colored and acid. Dark color, and not very profuse. Constipation. Loose, mushy stools.

Baryta Carb.

Sanguinolent mucus leucorrhœa, with palpitation of the heart; pain in the back and weakness unto fainting.

Moisture and soreness between the thighs. Scanty menses. Cutting and pinching during menses. Frequent urination. Loose stool, at short intervals, with pain in lumbar region, and chills over the head and legs. Vertigo. Cramp pains as if loose. Pain & stiffness in the sacrum & nape of the neck, with drawing & shooting in the legs. Most suitable to scrofulous & emaciated women.

Belladonna.

Leucorrhœa with colic; at times alternating with metorrhagia; *pressing or bearing down, early in the morning, as if everything would issue through the genitals*; the pains *come suddenly*, and *cease as suddenly* as they came; increase of leucorrhœa at every paroxysm. These attacks are most frequent in the morning. She does not sleep well, but lies in a half sleeping, half waking condition throughout the night. *Dreams before she is fairly asleep. Noise and bright light affect her.* Headache in the sinciput, affecting the eye-balls, so that they feel tired, as if strained. Menses too early. The urine is *very yellow*, and stains the linen like saffron water. Retention of urine. *Frequent desire to urinate.* Stools white or green, with *shuddering during stool.*

Borax.

With albuminous leucorrhœa, *like the white of an egg.* Corrosive leucorrhœa; also like starch. Leucorrhœa white as mucous, without any other ailment, a fortnight

after the menses. Leucorrhœa white, and thick as paste. Sensation *as if warm water were running down* the thighs. She is nervous, easily started, *cannot bear a downward movement*, as going down stairs, or riding on horseback. Menses too soon. Beating in the head and buzzing in the ears *during the catamenia.* Violent *instantaneous desire to urinate. Soft, light yellow, slimy stools, three a day, with weakness and fainting.* sterility, irritable mood.

Bovista.

Leucorrhœa like the white of an egg, coming away *whilst walking;* it may be yellowish, green and corrosive, *thick, slimy, tenacious.* Leucorrhœa *after the menses.* Soreness between the labia and thighs. Menses retarded and scanty, or too early and too profuse, particularly in the morning. *Frequent desire to urinate*, even immediately after urinating, with emission of a few drops. Morning diarrhœa, with *urging pain;* and after stool, *burning and itching in the anus*, as if worms were crawling. *Intolerance of tight clothing around the waist.*

Calcarea Carb.

Leucorrhœa like mucus, or *like milk.* Leucorrhœa profuse *at times.* Leucorrhœa at intervals; when urinating; *before the menses*; after lifting. *Whitish, corrosive.*

Leucorrhœa of young children. Leucorrhœa with itching and heat of the vulva. Menses *too early* and too profuse; paleness of the face; *weak feeling in the chest*, especially when talking; weakness in the knees; emaciation; applicable to *lymphatic females*, *light complexioned*, *inclined to be fat.* Sensation of the feet, as though she had on *cold*, *damp stockings.* Vertigo on going up stairs. Unable to sleep after three o'clock in the morning. *Very sensitive to cold air;* "chilled through" at every exposure. Menses every three weeks. *During the menses*, *vertigo*, *rush of blood to the head and heat in the head. Frequent micturition at night. Fetid*, *dark brown urine*, *with a white sediment.* Constipation. *Undigested stool*, rather loose. White stool. *Pricking*, burning, or *violent itching* in the rectum.
Acidity, irritable mood.

Calcared Phosphorica.

Leucorrhœa looking like the white of an egg. Leucorrhœa increasing as the menses diminish. Prolapsus uteri, worse during stool or urination; worse during menses.

Cantharides.

Acrid, burning leucorrhœa. *Menses too early* and profuse. Discharge of bloody mucus after menses and after urinating, with cutting and burning while urinating. *The*

urine is discharged in small quantities, even in drops. Stools consisting of *blood, or bloody mucus, looking like scrapings from the bowels.* Cutting or burning in the anus. Deep-seated headache, which causes a *scowl.*

Carbo. Animalis.

Yellowish, *burning or biting* leucorrhœa. *Watery* leucorrhœa, particularly when walking or standing; stains the linen yellow. Menses too early by four days, preceded by headache. Menses flow only in the morning. Urine increased; almost involuntary by slight pressure over the region of the bladder. Yellowish urine, with turbid sediment. *Stool scanty, and delaying* for several days. Pain in small of back during stool. Violent burning, stitches in the rectum, with *distended varices;* worse *while walking.*

Carbo. Veg.

Profuse leucorrhœa early in the morning, when rising. Milk colored, excoriating the parts. Leucorrhœa before the menses; it may be *thick, yellow* or whitish. Leucorrhœa after urinating. *Bloody mucous* from the vagina. Excoriation of the parts. Menses too soon, preceded by leucorrhœa. During menses pain in the head, back and bowels. *Great desire to urinate;* the urine passes slowly.

Dark red urine, as if mixed with blood. Constipation. Discharge of blood, with hard stool. Annoying itching, extending to the anus. She is *greatly troubled with flatulence, and an evacuation of "wind" upwards or downwards affords much relief.* After eating she feels as if she *would "burst;"* partially relieved by eructation of gas. Irritable, does not enjoy anything, even music, of which she is usually very fond. Carbo acts especially on the stomach & intestines, which are paralysed in spite of their activity & total prostration of digestive power.

Castoreum.

Thick leucorrhœa. Watery, burning leucorrhœa. Menses *increased.* Premature menses. Diminished urine. Hard stool, with burning at the anus. *Bloody mucous stool.*

Caulophyllum.

Profuse mucous leucorrhœa. Profuse menstruation. Profuse straw colored urine. Urgent desire for stool at one o'clock, A. M., with copious watery stool. "*Moth patches.*"

Causticum.

Profuse leucorrhœa, escaping the same way and smelling the same as the menstrual blood. Weakening leu-

corrhœa, with scanty menses. Leucorrhœa particularly at night. Emission of flatulence; cramps in the bowels; pulling and lameness in the small of the back. Menses too early or too late; no flow at night. *Colic, without diarrhœa, at the appearance of the menses;* during menses *pain in the back. Frequent urging to urinate. Light colored urine, like water.* Burning in the urethra while urinating. Constipation. *Frequent unsuccessful desire for stool.* She has a sickly look, a yellow face, and drooping eyelids; is obliged to make an effort to keep them up.
Disinclination to coitus. hysteric spasms. menses retarded, but increased in quantity.

Chamomilla.

Acrid, watery leucorrhœa. *Yellowish, smarting* leucorrhœa, particularly after a meal. Discharge of blood between the regular periods. *Corrosive leucorrhœa. Involuntary urination. Profuse, colorless urine. Green, watery stools.*

China.

Leucorrhœa instead of the menses; leucorrhœa *before* the menses. Painful pressing towards the groin and anus; *discharge of blood*, with occasionally black clots, or fetid, purulent matter, with itching and spasmodic contraction of the inner parts. Debility *from loss of blood.* Menses

profuse or suppressed. Frequent urination. *Scanty urine*, greenish yellow or dark colored, with *brick dust sediment.* Hard, costive stool. Loose, watery, yellow stool. Indicated after great loss of blood. The abdomen is often distended with flatus, and feels as if it were packed full of wind, but the escape of flatus in either direction *gives no relief.* Cannot sleep, on account of a *great number of ideas crowding the mind. Mind constantly changing from one thing to another.* Leucorrhœa with spasmodic contraction of the uterus by painful bearing down to the vulva and rectum with increased catamenia, burning irritation. Worse from draft of air or from the slightest touch or motion. Pale, bloated, earthy face.

Cinnabar.

Leucorrhœa causing a pressing in the vagina. Frequent and increased emission of watery urine, also during the night. Soft, scanty stools twice a day. Pain before stool; less after.

Coccus Cacti.

Leucorrhœa consisting of mucus, preceded by drawing, thrusting pain in the inguinal, vesical and pubic regions.

Cocculus Ind.

Leucorrhœa resembling serum, mixed with a purulent, ichorous liquid. Leucorrhœa like the washings of meat,

with colic and flatulency. Discharge of a sanguineous mucus during pregnancy. Leucorrhœa instead of the menses, or between the periods. Leucorrhœa gushing out on *bending or squatting down;* distension of the abdomen and pain as of a heavy stone; pain internally on motion. Menses scanty and irregular. The menses become more and more scanty, until they finally disappear, but the leucorrhœa is constant. She has a great deal of pain in the back, as if the menses were coming on. Suppression of the menses, with spasms in the abdomen or chest. Painful menstruation. Urine scanty, with frequent desire to urinate. Constipation. After stool, violent tenesmus, even unto fainting. Soft, loose stool; sometimes yellow, and burning in the rectum. Clouded, confused feeling in the head, with aching pain in the forehead. Vertigo. all the troubles only on one side, with spasms & convulsions of the extremities at the appearance of every menses. abdominal pains as of a heavy stone.

Coffea.

Profuse discharge of mucus from the vagina, with frequent discharge of blood, itching and excitement of the parts. Pressure on the bladder. The urine passes off drop by drop. Diarrhœa.

Collinsonia.

Leucorrhœa in connection with *pruritis vulva*. *Obstinate constipation* and dysmenorrhœa.

Conium Mac.

White, *burning*, *smarting*, *excoriating* leucorrhœa. *Thick*, *milky* leucorrhœa. Labor like colic, from both sides of the abdomen. Before the leucorrhœa, *pinching colic* and lameness of the small of the back; after the leucorrhœa, lassitude, hoarseness, with cough and expectoration. Leucorrhœa ten days after the menses; stopping suddenly and soon flowing again. Suitable to old maids. The flow of urine intermits. Suppression of the menses. Menses appear on the seventeenth day. Brownish blood instead of the menses. Strangury. Frequent urination; the urine cannot be retained. Constipation. Hard and scant stool, with frequent ineffectual effort at stool. Undigested stool. Discharge of blood with stool. Headache; *vertigo*, *particularly when turning in bed*. The patient is of rigid fibre and easily excited; is what is called "tight build." Uterine leucorrhœa with nightly pains, hysteric paroxysms in unmarried abstinent people, glandular swelling & induration.

Crocus.

Leucorrhœa accompanied by paroxysms of acute stitches from the predendum to the right thigh, as if a knife were

thrust into these parts every now and then suddenly, gradually penetrating into the parts, and with increasing pain. Sensation as if the menses would make their appearance, with colic and dragging down in the pudendum in a few hours. Intolerable writhing in the anus, affecting the whole nervous system painfully.

Drosera.

Leucorrhœa, *with colic like labor pains* during the suppression of the menses. Suppression of the menses. *Frequent desire to urinate, with scanty urine, frequently only a few drops.* Loose, papescent stool.

Ferrum Acet.

Leucorrhœa like watery milk, smarting and corroding when first appearing; palpitation of the heart; earthy, yellowish face. Leucorrhœa before the menses; swelling and indurations of the vagina. Menses delayed. Involuntary urination in the day time. *Frequent diarrhœic stools.*

Gelseminum.

White leucorrhœa. Feeling of fullness in the hypogastrium; aching across the sacrum. Menses delayed.

Menses painful. Urine increased and clear. Loose, papescent stool. Inability to swallow.

Granatum.

Yellowish leucorrhœa. Prolapsus of the vagina. Menses too short and too profuse, with colic and pressing from the small of the back to the groin. Cutting, stinging and gnawing in the urethra. *Tenesmus. Frequent diarrhœic stools. Itching and intolerable tingling in the rectum.*

Graphites.

Profuse leucorrhœa, perfectly white, especially on rising from the bed in the morning; weakness of the back, when walking or sitting. Thin, light colored leucorrhœa, with distension of the abdomen; *painful pressing towards the pudendum. The discharge occurs in gushes*, day or night. Menses scanty and delaying. Menses suppressed, with *weight in the anus* and legs. *Eruption during menses.* Turbid urine. Frequent micturition. Nightly desire to urinate. Difficult stool; stool frequently intermitting; stool size of a lumbricus. Constipation. White mucus with stool. Itching of anus. Burning hemorrhoids. Drowsy during the day. Sleepless during the night.
Great lassitude.

Guiacum.

Increasing leucorrhœa. *Frequent and urgent desire to urinate*, even directly after an emission of urine. Constipation. Soft stool, *in pieces.*

Hamamelis.

Profuse discharges, which simulate a hemorrhage, and constitute a drain upon the system as severe as a loss of blood. Scanty, high colored urine. Constipation. Painful varices, with discharge of blood, of a dark color.

Hedeoma.

Yellow, excoriating leucorrhœa, with itching and burning. Suppression of urine; tenesmus; painful urination, with very dark urine.

Helonias.

Leucorrhœa, with *great prolapsus uteri. The os uteri protrudes externally.*

Hepar Sul. Calc.

Leucorrhœa with *smarting of the vulva. Menses delayed ten days.* Hemorrhage from the uterus. Frequent desire to urinate. *Dark yellow urine.* Diarrhœa, with colic. Burning during stool. Creeping in the rectum.

Hydrastis.

Mucus leucorrhœa, hanging in long, viscid strings from the os uteri. Tenacious leucorrhœa. Urine increased; frequent desire to urinate. Diarrhœa; green stools; light colored stools. Excessive pruritus with profuse albuminous leucorrhœa accompanied by sexual excitement.

Hypericum.

Leucorrhœa. The menses delay a fortnight. Nightly urging to urinate, with vertigo almost amounting to syncope. Hard stool. *Violent tenesmus.*

Ignatia.

Chronic leucorrhœa, with excited sexual desire. Violent labor-like pains, followed by a purulent, corrosive leucorrhœa. Menses scanty and delayed. *Frequent emission of watery urine.* Constipation. *Mucous stool.* Constipa-

tion from taking cold. Sharp, painful pressure in the rectum after stool. Mild dispositions, who bear sufferings, even outrages, without complaining.

Imponderabilla (Electricity.)

Leucorrhœa, first thin, then thick, with coagula the size of a hazel nut. Frequent micturition. Black-yellow, liquid stools, having a fetid smell. Violent *pressing* in the anus during menses.

Iodium.

Chronic leucorrhœa, most abundant at the time of the menses, rendering the thighs sore and *corroding the linen*. The linen is *full of holes*. Adapted to females of scrofulous diathesis; with thin, yellow leucorrhœa, induration and swelling of the os uteri and engorgement of the vagina. The patient is very weak, and is much exhausted, "put out of breath" by ascending stairs. Irregular menses; delay eight days, with vertigo and palpitation of the heart. Menses *premature* and *copious*. *Obstinate retention of urine*. *Dark*, *turbid*, sometimes milky urine. Constipation. *Hard*, *knotty*, dark colored stools. Alternate constipation and diarrhœa. Copious discharge of a *watery*, foamish, white mucus, or thick or bloody mucus. Uterine leucorrhœa with swelling of the cervix, or uteri feeling hard, indurated, enlarged uterus.

Kali Bichrom.

Leucorrhœa which is tough, and *may be drawn out in long strings.* Yellow, stiff leucorrhœa, with pain and weakness across the small of the back, and dull, heavy pain in the hypogastrium; soreness and rawness of the vagina. Menses too soon, with vertigo, nausea, feverishness and headache. Urine red, with pain across the back. *Habitual constipation.* Constipation occurring every three months. Shooting pains through the bowels. Worse from motion & from cold, better from heat & drinking hot tea.

Kali Carb.

Yellowish leucorrhœa, with itching and burning of vulva and pudendum. Mucous leucorrhœa. *Menses too early.* Suppression of the menses, with dropsy. Acrid menses. Before the menses, *chilliness.* During the menses, *pain in the abdomen. Great desire to urinate. Turbid* urine. Greenish urine. *Insufficient, soft stool.* Continual burning at the anus after stool. Severe lacerating and cutting in the anus. Itching of the anus. *Large, painful varices.*

Kali Hyd.

Thin, watery or acrid, corrosive leucorrhœa, with itching in the vulva. Suppression of menses. Painful urging to urinate. Urine red as blood. Diarrhœa. *Sudden*

painful bloating of the abdomen. Horrible burning in the pit of the stomach.

Kali Nitric.

Thin, white leucorrhœa, with pain in the small of the back, as if bruised. Suppression of the menses. *Diminished secretion of urine. Frequent pressing* in the rectum. Tenesmus of the rectum. Sluggish stool. Hard stool, *like sheep dung.* Soft or diarrhœic stool.

Kreosotum.

Leucorrhœa of *pregnant females.* Leucorrhœa before and after the menses, especially when standing or walking; not when lying or sitting. *Mild* leucorrhœa; *acrid* leucorrhœa; corroding, yellow, offensive leucorrhœa, causing itching and redness of the vulva and pudendum. *Leucorrhœa with great debility*, particularly of the lower extremities; *white, painless leucorrhœa;* acrid leucorrhœa, *leaving yellow spots* on the linen. Leucorrhœa flowing like the menses. Yellow or yellowish-white leucorrhœa, having a foul smell, especially in the morning. Menses too early, too profuse and too long. Menses preceded by hardness of hearing, accompanied with buzzing and humming in

the head. Diminished secretion of urine. *Frequent desire to urinate, with copious emissions.* Intermittent stool.

Leucorrhœa worse when walking or standing, preceded by pains in small of back with flashes of heat in the face. Low spirits, longing for death, weeping, burning in the sexual organs. Better from warmth, motion. Induration of the uterus with sharp and cutting pains.

Lachesis.

Leucorrhœa from three to eight days *before the menses.* Copious, smarting, slimy leucorrhœa, stiffening the linen and staining it green; also in cases where the menses are too short and too feeble, although they occur at the right time. Menses *scanty, delaying,* difficult. Before the menses, headache, with vertigo. During the menses, lacerating in the abdomen, beating in the head. *Useful at the climacteric period.* Urging to urinate. *Frequent urination, with copious emission of foaming urine. Yellow urine. Constipation of years standing. Hard stool, resembling sheep dung.* Alternate constipation and diarrhœa. Before stool, pains in the rectum. After stool, burning in the anus, protrusion of the rectum. She *feels very unhappy* on awakening in the night or in the morning. Chilly at night, with flashes of heat by day, *especially at the climacteric period. Talks all the time. Wants to be eating, "picking around," all the time.*

Lamnium.

Copious leucorrhœa, coming off in drops, with *smarting* in the pudendum. Painless leucorrhœa. *Menses too early.*

Frequent desire to urinate. Scanty, hard stool, with discharge of blood.

Lilium Tigrinum.

Thin, acrid leucorrhœa; *excoriating, staining the linen brown;* rash like eruption on the genitals; swelling of the parts. Yellow leucorrhœa *after the menses.* Profuse, acrid leucorrhœa. Severe labor-like pains during and after leucorrhœa. Menses *scanty* and too early. Pain in left ovary Frequent urination. Scanty urine, *followed* by smarting in the urethra. Frequent desire to urinate in the latter part of the night and early in the morning. Urine light colored; thick, reddish sediment. Hot urine; profuse urine. Loose, bilious stools, followed by smarting at the anus and up the rectum. *Diarrhœa in the morning.* bearing down, pressing toward the vulva & anus, better from support; burning, cutting in the ovaries.

Lycopodium.

Leucorrhœa profuse at intervals; it may be milky; it may be blood red, particularly before the full moon. Leucorrhœa with, or preceded by, a *cutting pain across the hypogastrium, from right to left.* Pale face, with frequent flushes of the cheeks. Discharge of *wind from the vagina;* jerking of the extremities; itching of the labia at every menstrual period and during the leucorrhœal

flow. Rumbling and commotion in the bowels. Menses too long and too profuse. Menses too early and too scanty. Chronic suppression of the menses. Urine with red or yellow sediment, like sand. Burning in the urethra. Constipation. Sluggish stool. Ineffectual urging to stool. Violent contractive pain in the perineum many hours after a hard, scanty stool. Sensation as if she was *full up to the throat after eating but little.* She is worse at four o'clock, P. M., and better at eight or nine o'clock, P. M. *Menses too long and too profuse.* Melancholy before menses; chronic disease of the vagina & tendency to abortus.

Magnesia Carb.

Acrid, white mucus leucorrhœa, preceded by colic. Leucorrhœa *after the menses.* Thin, scanty leucorrhœa, with pinching around the navel. Leucorrhœa like water; smarting leucorrhœa. Menses too early or too late. Profuse menses; more profuse when walking or standing. Menstrual blood is *thick, black* and acrid. *Inability to retain the urine.* Pale or green urine. *White sediment* in the urine. Inclines to be constipated. Stool hard as a stone. Green diarrhœic stools, *like the scum of a frog pond.* A quantity of ascarides with stool. Cutting and pinching in the abdomen previous to stool.

Magnesia Mur.

Watery leucorrhœa. Leucorrhœa immediately after every stool, especially if the stool be hard and crumbling as it escapes from the anus. Leucorrhœa in the morning and after urinating; leucorrhœa at intervals. Leucorrhœa especially after exercise or preceded by uterine spasms. Thick leucorrhœa, followed immediately by a discharge of blood, fourteen days previous to the regular period of the menses. Profuse leucorrhœa, continuing almost without intermission. Menses black clots, worse when sitting. Scanty emission of urine, with burning. Hard, knotty, difficult stool. Soft stool, followed by burning. Greenish, papescent stool. *Burning at the anus, and pain as if from excoriation, during and after stool.*

Magnesia Sul.

Burning leucorrhœa, particularly during motion. *Thick* leucorrhœa, profuse, like the menses, with bruised pain in the small of the back and thighs. *Menses too late;* menses *too short;* menses *too early*. *Nocturnal urination. Alternation of hard and soft stool.* Soft stools, with burning at the anus, or with subsequent tenesmus.

Manganum.

Leucorrhœa in females whose bones are affected in a manner to be very sensitive to the touch.

Mercurius.

Leucorrhœa which may be itching, burning, smarting or corroding, with sensation of rawness. Discharge of flocks, pus and mucus as large as hazel nuts. Whitish or greenish leucorrhœa, in the evening or at night, causing a smarting in the anterior portion of the pudendum, which obliges the patient to scratch; the scratching is followed by a violent burning. *All the symptoms always worse at night.* Suppression of the menses. The menses are too profuse, and attended with colic. The urine has a strong odor, and deposits a sediment resembling chalk or flour. *Constant desire to urinate. Red and brown urine.* Turbid urine. Scanty, fiery red urine. The urine smells sour. *Desire for stool every moment, with tenesmus, without being able to accomplish anything. Gums look ragged; indentation of the teeth in the sides of the tongue;* subject to sore throat; tonsils enlarged, so that she makes a fearful snoring or snorting when asleep. Syph. Lac. flocci albi. Furnish leucorrhœa, especially in the evening, with smarting in the prepuce of the pudendum.

Mezereum.

Albuminous leucorrhœa; chronic and malignant. Mucus discharge from the urethra and vagina. Menses suppressed. Hot urine, with a reddish sediment. *Continual diarrhœa*, with intolerable colic.

Millefolium.

Leucorrhœa. Constant desire to urinate. Rumbling and cutting in the abdomen, followed by diarrhœic stools, succeeded by tenesmus.

Natrum Carb.

Yellowish leucorrhœa; putrid leucorrhœa, ceasing after urinating. Profuse leucorrhœa, after frequent attacks of colic, with writhing around the umbilicus. *Pressing in the hypogastrium, towards the genital regions, as if every thing would issue from the abdomen.* Menses preceded by headache and drawing in the nape of the neck. *Frequent and copious urination* with leucorrhœa. Burning in the urethra. Pressing in the region of the bladder. Stool tinged with blood. Colic previous to soft stool.

Natrum Mur.

Leucorrhœa *early in the morning; profuse* after colic; it may be transparent, white, thick mucus. Greenish leucorrhœa, particularly after walking, with yellow complexion; leucorrhœa with headache; leucorrhœa preceded by colic and pressing down. Leucorrhœa producing itching of the pudendum. Leucorrhœa at night. *Menses delay four days, and are scanty. Menses appear seven days too soon. Violent desire to urinate and inability to retain the urine. Involuntary emission of urine while walking. The urine speedily deposits a sediment looking like brick dust. Retention of stool. Hard stool. Diarrhœa like water. Stool mixed with blood.* Scrofulosis. Uterus painful. Cervix uteri painful & swollen, thickened with ulcers at the os. Affection of the ovaries, especially of the right side. Case of leucorrhœa which were treated with nitrate of silver. Itching of the pudendum & pimples on the mons veneris; cachectic individuals with yellow face; palpitation & fluttering of the heart. Epileptic debility.

Natrum Sul.

Leucorrhœa. *Acrid, corrosive menses.* Profuse menses. Scanty, retarded menses, *with colic* and costiveness. *Copious urination, with brick dust sediment.* Urine with *yellow-reddish* sediment. *Hard stool, with pressure,* sometimes streaked with blood. *Looseness of the bowels.*

Nicolum.

Profuse, watery leucorrhœa, particularly after urinating. Menses too early, too short and too feeble. *Constipation.*

During stool, stinging in the rectum. *After stool*, itching of the anus. *Cutting in the abdomen, succeeded by soft stool.*

Nitrum.

White leucorrhœa, with lameness of the back.

Nux Mos.

Leucorrhœa of women *who always awaken with a very dry tongue. Menses too late*, preceded by a pain in the back. *Menses too early*, with pressing in the abdomen and down in the limbs. *Urine diminished. Urging* at night, with scanty emission. *Slow, difficult stool. Urging to stool, as if a diarrhœa would set in.*

Nux Vomica.

Fetid leucorrhœa, tinging the linen yellow. Painless discharge of yellow mucus from the vagina; burning in the pudendum, with violent sexual desire; gnawing, itching eruption on the pudendum; swelling of the inner vagina, with burning pain, *rendering contact intolerable.*

Sensation of heaviness in the region of the neck of the womb; rising up or sitting down causes a distress in this situation. *Menses too early. Painful, ineffectual desire to urinate.* Nightly urging to urinate. Reddish urine, *with brick dust sediment. Constipation*, as if from inaction of the bowels. Stool consists of *little balls.* Small, loose, mucus stool, with *much straining.* Frightful dreams. *She awakens at four o'clock, A. M., and after a while falls asleep again, to awaken again later in the morning, feeling worse from having slept*, or cannot go to sleep again, and after an hour of useless tossing and turning, *must rise to find relief.* Appetite poor; sensation of a *load in the stomach.* Dry, hacking cough; oppression around the hypochondriæ. Depression of spirits, with cloudiness of intellect. Pains in back, piercing pains over the hips with dyspeptic symptoms.

Nympha Odorata.

Acrid, corrosive leucorrhœa.

Oleum Animale.

Leucorrhœa consisting of *thin white mucus.* Menses too early, preceded and accompanied by colic. Scanty menses, *black blood*, and languor of the hands and feet. *A*

good deal of urging to urinate, with discharge of only a few drops. Difficult stool, after long urging.

Petroleum.

Profuse leucorrhœa every day; also with lascivious dreams at night. Leucorrhœa *like albumen*. Menses may be premature and scanty, or delayed. *Frequent micturition. Constant dribbling of urine. Diarrhœa, consisting of bloody mucus.*

Phosphorus.

Smarting leucorrhœa, *causing blisters*. Profuse leucorrhœa, with great sense of weakness in the abdomen. The leucorrhœa is often corrosive, in consequence of chlorosis. Watery slime, especially during or instead of the menses. Mucous leucorrhœa. Milky leucorrhœa early in the morning, when walking; slimy leucorrhœa; reddish leucorrhœa. *Menses too late. Menses too early and scanty.* Involuntary emission of urine. Urine has a sediment of white flocculi. The urine deposits a brick dust sediment. Constipation. Stool resembling the hardened feces *of a dog*, and is evacuated with difficulty. Suitable to *tall, slender, "phthisical" patients.* Sensation of *heat passing up the*

back. Vertigo on first rising in the morning. *Cramps of pregnant females.* chlorosis.

Phytolacca.

Leucorrhœa. Menses too copious and too frequent. Copious urination; chalk-like sediment. Dark red urine. Constipation. Hypertrophy of the breasts or uterus.

Platina.

Albuminous leucorrhœa, only in the day time, particularly in women who have *difficult stools* from the *glutinous nature of the excrements.* Leucorrhœa, with pinching in the abdomen, followed by pressing down in the groins, alternated by a pressure in the pudendum and increased discharge of blood. Voluptuous tingling in the pudendum. *Menses too early*, with diarrhœa, or *too profuse* or *too long. Suppressed menses of Irish emigrants. Red urine*, with white clouds. Constipation. Half digested, papescent stools in the morning.

Plumbum.

Leucorrhœa with a continued sense of drawing in from the abdomen to the back. Mucus discharge from the vagina. *Tenesmus of the neck of the bladder. Dysentery*, with violent colic. Scanty, sluggish stool, resembling *sheep dung.*

Podophyllum.

Leucorrhœa consisting of *thick, transparent mucus.* Leucorrhœa with constipation and *bearing down in the genitals;* prolapsus uteri and *ani.* Pain in the ovaries. Suppression of the menses in young girls. Enuresis. Urine diminished or suppressed, or involuntary during sleep. Scanty urine. Hard, dry stool. Yellow or dark green stools. *Changeable stools.* Very nervous and easily started; sleeps but little or not at all. She is in a weakly, miserable condition.

Prunus Spinosa.

Leucorrhœa making the parts sore and tinging the linen yellow. Menses every *two weeks*, with pain in the back. *Scanty emission of brown urine. Has to press a long time before the urine makes its appearance. Spasms of the*

bladder; worse at night. Hard stool. Diarrhœa, with large stool.

Pulsatilla.

Leucorrhœa, burning, *thin* and *acrid.* *Milky* leucorrhœa, with swelling of the vulva, particularly after the menses. *Thick, white mucus* leucorrhœa, especially when lying, or before or during the menses, which are scanty; with cutting or cramping in the bowels. Leucorrhœa thick, like cream, attended with pruritis near the change of life; when occasioned by fright in young girls before menstruation is fairly established. *Suppression of the menses,* with nausea and disposition to vomit. *Menses too early. Menses too long. Menses too short.* The blood is thick and black. Retention of urine. *Incontinence of urine. Frequent desire to urinate, with drawing in the abdomen. Colorless, watery urine.* Obstinate constipation. *Frequent loose mucus stools.* Loose stool in the morning. She is unable to sleep in the early part of the night; falls asleep to awaken late in the morning, with mouth tasting so badly that she must arise and cleanse it. Better in the open air; cannot endure a warm room; worse towards evening; has sometimes nausea and vomiting in the morning.

Ranunculus Bulb.

Leucorrhœa, at first mild, afterward acrid and corrosive. Hard stool, preceded by colic.

Ratanhia.

Leucorrhœa. Too early menses. Pain in the small of the back during the menses. Frequent urging to urinate, only a few drops being passed each time. Hard stool, with straining. *Violent itching in the rectum.*

Ruta Graveolens.

Corrosive leucorrhœa, after suppression of the menses. Acrid, gnawing leucorrhœa, after the menses. Menses too early and too profuse. Involuntary urination. *Difficult expulsion of stool. Frequent urging to stool, with protrusion of the rectum.* Involuntary stool. Prolapsus of the rectum, with or without stool, with much swelling and soreness.

Sabina.

Yellowish, ichorous, fetid leucorrhœa, and painful discharges of fetid blood every two weeks. Habitual leu-

corrhœa of the consistence of starch; copious, milky leucorrhœa, causing an itching. Leucorrhœa after suppression of the menses; discharge of blood between the periods, with sexual excitement; offensive leucorrhœa after suppressed menses. Profuse menses. Suppressed menses. Retention of urine, passing off drop by drop. Diarrhœa. Pains running from the sacrum to the pubes, stitches deep in the vagina vertigo, headache in right temple, face pale, blue rings around the eyes. Black specks in face & nose. Lowness of spirits.

Sanguinaria Canad.

Corrosive, fetid leucorrhœa. Leucorrhœa at the *climacteric period*; it continues after the menses have ceased. Suppression of the menses. *Escape of flatus from the vagina.* Frequent and copious urination at night. Diarrhœa.

Sarsaparilla.

Mucous leucorrhœa when walking, particularly in women who have *a sharp pain in the arethra at the close of urination.* Menses delayed. Scanty, acrid menses. *Frequent desire to urinate, with scanty emission. Tenesmus of the bladder.* Sometimes grayish sand in the urine. Obstinate constipation.

Secale Cornutum.

Leucorrhœa in thin, scrawny women, with prolapsus uteri. *The menses are too profuse* and too long; also with violent spasms. Suppression of urine. *Painful diarrhœa, with great prostration.* Watery, mucous diarrhœa.

Sepia Succus.

Yellowish, thick leucorrhœa; leucorrhœa clear as water. mucus leucorrhœa, clear as water. Leucorrhœa at the *climacteric period*, at puberty, *during pregnancy;* leucorrhœa with stitches in the uterus; leucorrhœa with *itching in the vulva or vagina.* Sanguineous mucous discharge from the vagina. The leucorrhœa increases when she is attacked with frequent eructations and retching; in this case her face turns paler. Discharge of green-red fluid from the vagina during her pregnancy; leucorrhœa especially profuse after urination; after making an effort to vomit; leucorrhœa having the appearance of pus; leucorrhœa like milk, only in the day time, with burning pain, and producing soreness between the thighs. Pains while walking, on account of soreness occasioned by the leucorrhœa. Discharge of blood only when walking; leucorrhœa of a yellow or greenish water, like pus or bad smelling fluids; bearing down in the pelvis; stinging pain in the ovarian region; frequent urging to urinate, and itching in the genitals; the discharge is of a varied nature. Acrid leucorrhœa. *Menses too early. Menses too late.* Scanty

menses. *Continued desire to urinate, with painful bearing down in the pelvis. Sensation as if drops came out of the bladder. Turbid urine, with brick dust sediment. Blood-red urine. Violent burning in the bladder* and desire to urinate. Constipation. *Exhausting diarrhœa.* Prolapsus of the rectum. A painful sensation of goneness in the pit of the stomach continually. Slight darting pains shooting upwards from the cervix uteri. Sexual intercourse is intolerable. Leucorrhœa during climaxis with venous stasis in the abdominal organs & small hyperæmic ulcers at the inner surface of the labia & vagina, sadness & weeping. Face pale yellow, puffed. Gums bluish red. Caustic hunger. Worse after eating & bitter after sleep. Pulse varying day & low & quick at night. Little sexual desire, melancholic temperament, mental performing & security.

Silicea.

Painfully smarting leucorrhœa, especially after tasting sour things. Discharge of a quantity of white water from the womb, with violent itching of the pudendum. Milky leucorrhœa in the paroxysms, with cutting in the umbilical region; frequently, also, discharge during micturition. Menses too early. *Increased menses.* Desire to urinate, without emission. Micturition almost every night. *Constipation: the stool comes to the verge of the anus, then slips back into the rectum.* Leucorrhœa during urinating

Stannum.

Yellowish, *debilitating* leucorrhœa; transparent mucus leucorrhœa, with smarting. *Prolapsus of vagina.* Profuse menses. Frequent desire to urinate, with copious

emission. Retention of urine. *Unsuccessful desire for stool. Great weakness, seemingly in the chest; she is therefore unable to talk or read aloud.* Cough, with a *yellow* or *greenish* expectoration, causing a sensation of weakness in the chest. This watery leucorrhœa in full women.

Strontiana Carb.

Leucorrhœa while walking. Menses too early, but of short duration. Diminished urine. Intermittent stool.

Sulphur.

Yellow mucus, *corroding* leucorrhœa, *preceded by cutting, colic, or pinching around the navel.* Profuse leucorrhœa; *violent leucorrhœa; smarting, burning, thin leucorrhœa*, especially in the morning after rising; *scanty, acrid leucorrhœa;* mild leucorrhæa; leucorrhœa with *burning in the soles of the feet and in the crown of the head.* Leucorrhœa *smarting like salt;* she must scratch till the parts bleed. Burning and painful leucorrhœa, making the *vulva sore;* mucus leucorrhœa a fortnight before the menses. Yellow, excoriating discharge from the vagina, accompanied with palpitation of the heart during motion, and followed by burning in the abdomen. Itching eruption over the abdomen. Burning of the pudendum, accompanied by blisters. *Violent itching* of the clitoris. Burning in the vagina.

Menses too late. Menses too early. Pale menses. Violent desire to urinate. *Frequent micturition.* Copious micturition after midnight. *Violent desire to urinate* at night. *Fetid urine.* Hard, difficult stool. *Frequent unsuccessful desire for stool. Undigested* stool. Mucus stools. White, slimy stools. Feeling of faintness, with *strong craving for food at eleven o'clock, A.M.* Sensation of cold feet, though they are not really cold; flushes of heat, passing off with slight perspiration, and feeling of weakness and faintness; does not sleep well, waking often, and feels very languid in the morning.

Tabaccum.

Flesh colored leucorrhœa a *fortnight after the menses.* Enuresis. *Diarrhœa,* with colic, flatulence and soreness of the anus.

Tartar Emetic.

Viscid, white, mucus leucorrhœa. *Discharge of watery blood from the vagina; worse when sitting. Red urine,* with burning in the urethra. Diarrhœa, with palpitation of the heart.

Taxus Baccata.

Discharge of *mucus* from the vagina. Strangury and reddish urine. Small stool, with tenesmus.

Killian. bloody leucorrhea.

Thuya.

Leucorrhœa from one period to the other; it is mild, and leaves a yellowish-green stain upon the linen. Mucous discharge from the urethra. Bloody urine. Burning in the urethra between the acts of micturition. Constipation. *Loose stool*, particularly indicated if the patient has long fig warts. Swelling of both labiæ; painful and burning.

Water.

If the parts, internal or external, are hot, painful or sensitive, warm water may be used. If the parts seem to be cold, relaxed, or almost insensible, small quantities of water, quite cold, may be used. It may be used in form of injection, wash or hip bath.

Zincum.

Bloody mucus leucorrhœa, especially after stools. Thick leucorrhœa morning and evening, before and during the menses. Leucorrhœa preceded by cutting in the bowels, gnawing or pinching in the epigastrium. Smarting pain in the pudendum, as if the parts were sore, especially during micturition. Stinging in the pudendum when walking. White ulcer on the inside of the labia majora, first causing a pain as if sore when touching it, afterwards smarting. *The urine looks turbid and loam colored. Dry, insufficient stool. Constipation.* Burning at the *anus.*

Thick stinging leucorrhœa with great sensitiveness of the vulval organs; cutting & pinching in abdomen with [illegible]:

THE PROPERTY OF
Hahnemann Medical College of the Pacifi

INDEX.

LEUCORRHŒA.

A

Abdomen, burning in. Sulph.
cutting in. Zinc.; Nicol.
distension of. Am. mur.; China; Coccul.; Graph.; Kali hy.; Lach.; Lyc.
pains in. Ac. sul.; Aralia; Aur.; Lilium tig.
pains from both sides. Con.
pinching in. Plat.
Abortion, tendency to. *Aletris;* Bap.
Ammonia, smells like. Am. carb.
Appetite poor. Nux vom.; Phos.

B

Back gives out. *Æscul.*
heat passes up. Phos.
lameness of. Æscul.; Caust.; Con.; Helon.; Nitrum.
pain in. Ac. sul.; Am. carb.; Baryta carb.; Caust.; Coccul.; Gels.; Kali bi.; Kali nit.; Lilium tig.; Mag. sul.
weakness of. Graph.; Kali bi.
Bearing down. Aur.; *Bell.;* Graph.; Nat. mur.; Nux vom.; Podo.; Secale; Sep.
Before menses. *See Menses.*
Better in open air. Puls.

Better when walking. Alumina.
Between periods. Cham.; Coccul.; Ham.; Sabina; Thuya.
Bending, when. Cocculus.
Biting. Ant. crud.; *Carbo. an.*
Blisters. Phos.; Sul.
Bloody. Acon.; Canth.; *Carbo veg.; China;* Coff.; Ham.; Hepar; Lyc.; Mag. mur. Tellurium
Blueish white. Ambra grisa.
Bowels, cramps in. Caust.
Bowels, rumbling in. Lyc.
Breasts, hypertrophy of. Phyto.
Brown, slimy. Acid nit.; Am. mur.; Lilium tig.
Burning. Acid sul.; Æscul.; Am. carb.; Canth.; Carbo. an.; Castoreum; *Con.;* Hedeo.; Kali. carb.; *Mag.sul.;* Merc.; Nux. vom.; Puls.; Sep.; *Sul.;* Thuya.
Burning in feet and top of head. *Sul.*

C

Change of life. Lach.; Puls.; *Sang. can.; Sep.*
Chest, weakness of. Cal. carb.; Stann.
Chilled easy. Ars.; Cal. carb.; Lach.
Chronic. Iod.; Ign.
Climacteric period. Lach.; Sep.
Cold, takes easily. Acid nit.
Cold washes relieve. Acon.
Cold water disagrees. Ars.
Cold, after. Nat. carb.; Nat. mur.
Colic, with. Bell.; Caust.; Coccul.; *Con.; Kreos.;* Plat.; Puls.
Complexion, yellow. Carbo. veg.; Caust.; Fer.; Acet.; Nat. mur.
Confinement, after. Aralia; Pod.
Copious. *Acon.;* Lach.; Lam.; Sabia.
Corrosive. Alumina; Anac.; Aralia; *Ars.;* Aur.; Bov.; *Cal. carb.;* Cham.; *Con.;* Fer.; Hedeo.; Ign.; Iod.; Kali hyd.; Kreos.; Lilium tig.; Merc.; *Nat. sul.;* Phos.; Ran.; Ruta; Sang.; *Sulph.*

Corroding the linen. Iod.
Cough. Nux. vom.
Cramps in pregnant females. *Phos.*
Cutting from right to left. Lyc.

D

Day or night. Æscul.; Baryta carb.; Graph.
Day time only. *Alumina;* Petrol.; *Plat.*
Debility, with. Aletris; Aralia; Ars.; Bap.; Baryta carb.; *China;* Con.; Iod.; *Kreos.;* Oleum; *Stann.*
Discharge, Acrid. Acid phos.; Acid sul.; *Alumina;* Aralia; *Am. carb.;* Ant. crud.; *Ars.;* Bap.; Canth.; Cham.; *Kreos.;* Kali hy.; Lilium tig.; Mag. carb.; *Nat. sul.;* Nympha; *Puls.*
after colic. Am. mur.; Carbo. veg.; Nat. mur.
after confinement. Aralia; Arn.; Podo.
after eating. Cham.
after exercise. Mag. mur.; Nat. mur.
after injuries. Arn.
after lifting. Cal. carb.
after loss of blood. China.
after stool. Mag. mur.
after urinating. Mag. mur.
after vomiting. Sep.
after walking. Nat. mur.
albuminous. Borax; Mez.; *Pet.; Plat.*
as if everything would come away. *Bell.; Nat. carb.*
as if warm water was running down. *Borax.*
as of a stone. Coccul.
green. Acid nit.; Bov.; Merc.; Nat. mur.; Sepia; Thuya.
gums ragged and sore. Merc.
gushes out. Cocculus; *Graph.*
hanging in strings. Hyd.
hoarseness. Con.
with hardness of hearing. Kreos.; Lach.

Discharge, with buzzing in head. Borax; Kreos.
with beating in head. Borax.
with headache. Bell.; Canth.; Cocculus; Con.; Kali bi.; Nat. mur.
with headache in open air. Am. carb.
with heat of parts. Cal. carb.
with palpitation of heart. Baryta carb.; Fer. acet.; Iod.; Sulph.; Tart. emet.
running down to heels. Alumina.
like hemorrhage. Ham.
hungry at eleven o'clock, A.M. Sul.
hypertrophy of breasts or uterus. Phyto.
ichorous. Cocculus; Sabina.
in clots. Impond.; Merc.
in drops. Lamnium.
in large quantities. Alumina; Lyc.
instead of menses. *See Menses.*
at intervals. Cal. carb.; Mag. mur.
intolerance of tight clothing around the waist. Bov.
irritability with. Acon.
itching. *See Genitals.*
Downward movement, cannot bear. Borax.
Dreams badly. Ars.; Nux vom.; Petrol.
Dreams before she is fairly asleep. Bell.
Drops coming in. Lamnium.
During menses. Cal. phos.; Iod.; Phos.; Zinc.
During pregnancy. Coccul.; Coll.; *Kreos.; Sepia.*
During urination. Cal. phos.; Sil.

E

Eating constantly. Lach.
Eggs, like the white of. Am. mur.; *Bor.; Bov.;* Cal. phos.
Emaciation. Cal. carb.
Epistaxis. Acid nit.; Lilium tig.
Eructations. Sep.
Excoriating. *See Corroding.*

Evening. Acid nit.; Merc.; Zinc.
Eyes feel bad. Bell.
Eyelids droop. Caust.

F

Face pale. Cal. carb.; Caust.; Lyc.; Sep.
Face yellow. Carbo. veg.; Caust.; Fer. acet.; Nat. mur.
Fainting. Baryta carb.
Feet cold. Cal. carb.
Fetid. Acid nit.; Bap.; *Nux vom.;* Sabina; Sang.; Con.
Feverish. Aconite; Kali bi.
Flatulence, with. Arg. nit.; Carbo. veg.; Caust.; Cocculus.
Flatus from vagina. Lyc.; *Sang.; Canad.*
Flesh-colored. Acid nit.; *Alumina;* Tobac.
Flocks, discharge of. Merc.
Flushes, with. Lyc.
Fright caused by. Puls.
Full moon before. Lyc.

G

Genitals, burning in. Alumina.
itching. *Acid nit.*; Acid phos.; Æscul.; Alumina; Anac.; Cal. carb.; Carbo. veg.; China; Coff.; Coll.; Hedeo.; Kali carb.; Kali hy.; Kreos.; Lyc.; Merc.; Nat. mur.; Nux vom.; Plat.; Sab.; *Sep.;* Sil.; Sulph.
smarting. Con.; Fer.; Hepar; Kali bi.; Lach.; Lam.; Mag. carb.; Merc.; Phos.; Sil.; Stann.; Sulph.; Zinz.
soreness of. *See Parts.*

L

Linen, corroding. *Iod.*
full of holes. *Iod.*
stains brown. Lilium tig.

Linen, stains green. Lach.; Thuya.
stains yellow. Carbo. an.; *Kreos.;* Nux vom.; Prun.; Sepia; Thuya.
Like lymph. Alumina.
menses coming away. Caust.; Kreos.; Mag. sul.
milk. *See milk-like.*
serum. Cocculus.
like starch. Borax; Puls.; Sabina.

M

Memory, loss of. Anacard.
Menses, instead of. *See Menses.*
Mild. Acid sul.; *Kreos.;* Ran.; Sul.; Thuya.
dispositions. Ign.; Puls.
Milk, deficient. Ag. cast.
like. *Cal. carb.;* Carbo. veg.; *Con.*; Fer.; Graph.; Lyc.; Phos.; *Puls.*; Sabina; Sep.; Sil.
Mind changeable. China.
Moon, before full. Lyc.
Morning. *Bell.*; Carbo. veg.; *Graph.*; Kreos.; Mag. mur.; *Nat. mur.*; Phos. sul.
Moth patches. Caul.
Motion, pains less during. Acid phos.
pains worse during. Mag. sul.
Mucus. Acid nit.; Acid phos.; Acid sul.; Alumina; Ambra grisa; Ant. crud.; Arg. nit.; Bap.; Cal. carb., Borax; Canth.; *Carbo. veg.*; Caul; Coccus; Coff.; Hyd.; Kali carb.; Merc.; Meze.; Nux vom.; *Oleum an.*; Phos.; Plumb.; *Podo.*; *Sars.*; Sepia; Stann.; Sul.; Tart. emet.; *Taxus*; Thuya; Zinc.
Music, dislike to. Carbo veg.

N

Navel, pains around. Am. mur.; Mag. carb.; Nat. carb.; Sil.; *Sulph.*; Zinc.
Nausea. Kali bi.; Puls.

Nervous. Borax; Podo.
Nights, always worse. Merc.
Night, at. Alumina; Merc.
Nights only. Ambra grisa; Caust.; Nat. mur.
Night or day. Graph.
Noise or bright light aggravate. Bell.

O

Offensive. Acid nit.; Aralia; Kreos.; Lam.; Sab.; Sep.

P

Pains come sudden and go sudden. *Bell.*
extending from abdomen to back. Plumb.
extending from back to abdomen. Æscul.
extending from back to groin. Granat.; Plat.
extending from pudendum to thighs. Crocus; *Graph.*
in abdomen, from right to left. *Lyc.*
in hypogastrium. *Nat. carb.*
labor-like. Con.; *Dros.;* Ign.
less during motion. Acid phos.
worse at night. Ac.
Painful pressing towards groin and anus. China; *Graph.*; Plat.
Painless. Acid sul.; Lam.; Nux vom.
Pale, waxy women. Ars.; Fer. acet.
Parts, itching. *See Genitals.*
excoriating. Aurum; Carbo veg.; Con.; Kali bi; Merc.; Prunus.
pressing in. Cinabar.
soreness of. Anac.; Arg. nit.; Baryta carb.; Bov.; Iod.; Kali bi; *Prunus*; Sep.; *Sul.*
swelling of. *Coll.*; Ferum acet; Iod.; Lilium tig.; Nux vom.; Puls.; Thuya.
Poor appetite. Nux vom.; Phos.
Preceded by colic. Mag. carb.; Nat. mur.

Preceded by pains around the navel. Am. mur.; Nat. carb.; Sil.; Sulph.; Zinc.
by stitches in vagina. Ambra grisa; Sep.
by pains. Cocculus; Con.
Pregnancy. *See During.*
Profuse. Acid phos.; Alumina; Aurum; *Cal. carb.*; Carbo veg.; Caul.; Caust.; Coff.; *Graph.*; Guiac.; *Ham.*; Iod.; Lilium tig.; Lyc.; Mag. mur.; Mag. sul.; Nat. carb.; *Nat. mur.*; Nicol.; Petrol.; Phos.; Sep.; Sul.
Prolapsus uteri. Cal. phos.; Granat.; *Helo.*; Podo.; Secale.
Pruritis vulva. *Coll.*; Puls.
Purulent. Acid nit.; Alumina; China; Coccul.; Ign.; Kreos.; Sabina; Sep.
Pus, discharge of. Merc.
Putrid. Nat. carb.

R

Rash on parts. Lilium tig.; Sulph.
Relieved by walking. Alumina.
Rigid fibre. Con.
Right to left, pains extending. Lyc.
Rising, upon. Carbo. veg.; Nux vom.
Running down to the heels. Alumina.

S

Sanguinolent. *Baryta carb.*; Coccul.; Sep.
Scratch, obliged to. Merc.; Sulph.
Shoulders, griping between. Am. carb.
Sitting, when. Graph.; Nux vom.; Tart. emet.
Sleepless. Acid nit.; Ars.; *Bell.*; Cal. carb.; China; Lach.; Nux vom.; Plat.; Podo.
at night and sleepy during the day. Am. carb.; Graph.
Slimy. Acid nit.; Am. mur.; *Bov.*; Lach.; Phos.
Smarting. *Cham.*; *Con.*; Fer. acet.; *Hepar*; Lam.; Merc.; Phos.; *Sil.*; Stann.; *Sulph.*; Zinc.

Smelling bottle, she wants. Am. carb.
Smells like ammonia. *Am. carb.*
Soreness of parts. *See Parts.*
Standing, when. Ars.; Kreos.
Starch-like. Borax; Sabina.
Stomach, burning in. Ars.; *Kali hyd.*
Stitches in vagina. Acid nit.
Stringy. Acid nit.; Kali bi.
Stool at one o'clock, A.M. Caul.
Suited to old maids. *Con.*
to tall, slender, phthisical patients. Phos.
to thin, scrawny women. Secale.
to weak, sickly, delicate females. Am. carb.; Caus.; Iod.; Mang.
Swallowing difficult. Alumina.
only small pieces. Alumina.
Squatting down, when. Cocculus.
System, irritability of. Acon.; Carbo veg.

T

Talk, does not wish to, nor to hear others. Am. carb.
Talks much. Lach.
Taste, flat or tasteless. Alumina.
insipid. Alumina; Puls.
Tenacious. Acid nit; *Acon.*; *Bov*; Hyd.; Kali bi.
Thick. Ars.; Borax; *Bov.*; *Carbo veg.*; Castor.; *Con.*; Impond.; Kali bi; Mag. mur.; Mag. sul.; Nat. mur.; *Podo.*; *Puls.*; *Sepia.*; Zinc.
Thighs sore. Ant. crud.; Aur.; Baryta carb.; Bov.; Iod.; Sepia; Sul.
Thin, mucous. Acid phos.; Graph.; Impond.; Iod.; Kali nit.; Kali hy.; Lilium tig.; Mag. carb.; *Oleum an.*; *Puls.*; *Sulph.*
Thin, scrawny women. Secale.
Tongue always dry in morning. *Nux mos.*
Transparent, mucous. Alumina; Nat. mur.; *Podo.*

U

Urinating, after. Mag. mur.
when. Cal carb.; Con.
Ulceration of os uteri. Bap.
Ulcers on parts. Zinc.
Uterus, congestion of. Arg. nit.
hypertrophy of. Phy.
prolapsus of. Cal. phos.; Granat.; Helon.; Podo.; Secale.
spasms of. Mag. mur.
stitches in. Sep.

V

Vagina, prolapsus of. *Granat.*
wind from. Lyc.; Sang. can.
Vertigo. Alumina; *Cal. carb.*; Cocculus; Hyper.; Iod.; Kali bi; Lach.
on rising up. Acon.
Violent. *Am. carb.*; *Sulph.*
Virulent. Am. carb.; Bap.
Viscid. Hyd.; Tart. emet.
Vulva. *See Genitals.*

W

Warts. Caust.; Thuya.
Watery. Acid nit.; Am. carb.; Ant. crud.; *Carbo. an.*; Castor.; Cham.; Fer. acet.; Kali hy.; Mag. carb.; Mag. mur.; Nicol.; Phos.; Sep.; Sil.; *Tart. emet.*
Washings, like meat. Coccul.
Weakening. Caust.; Kreos.; Tabac.; Phos.; Pod.
Weak knees. Cal. carb.
when talking. Cal. carb.; Stann.
When bending or squatting down. Coccul.
lifting. Cal. carb.
lying. Puls.
rising. Carbo. veg.
sitting. Graph.; Nux vom.; *Tart. emet.*

When standing. *Ars.*; Carbo. an.; Kreos.
urinating. Cal. carb.; Con.
walking. Acid nit.; *Bov.*; Carbo. an.; Graph.; Kreos.; Nat. mur.; Phos.; *Sars.*; Sep.; Stront.; Zinc.
Which can be drawn out. Acid nit.; Kali bi.
White. Ambra grisa; Bov.; *Cal. carb.*; Carbo. veg.; Con.; Gels.; *Graph.*; Kali nit.; Kreos.; Mag. carb.; Merc.; Natrum mur.; Nitrum; *Oleum an.*; *Puls.*; Phos.; Sil.; Tart. Emet.
White of egg. *See Eggs.*
With colic. *See Colic.*
chlorosis. Phos.
debility. *See Debility.*
eruptions. Aur.; *Graph.*
headache. *See Headache.*
Worse after sour things. Sil.
after stool. Zinc.
at night, pains. Ac.
by cold. Acid nit.
by cold water. Ars.
by sitting. Alumina.
during menses. Cal. phos.
during pain. Bell.
during stool. Cal. phos.
in evening. Am. carb.
in open air. Am. carb.
at four o'clock, P.M. Lyc.
lying down. Ars.

Y

Yellow. Acid phos.; *Acon.*; Alumina; Ars.; Bov.; Carb. an.; *Carbo. veg.*; *Cham.*; *Granat.*; Hedeo.; Iod.; Kreos.; Kali bi.; Kali carb; Lilium tig.; Nat. carb.; Nux vom.; Sab.; *Sep.*; Stann.; Sulph.; Thuya.
Young girls, in. *Cal. carb.*; Puls.

MENSES.

Acrid. Kali carb.; Mag. carb.
After, leucorrhœa. Acid nit.; Acid phos.; Alumina; Bor.; *Bov.;* Canth.; Coccul.; Con.; Kreos.; *Mag. carb.; Puls.*; Ran.; Sang. carb.; Tobac.
Before, leucorrhœa. Acid phos.; Alumina; *Cal. carb.;* Carbo. veg.; China; Coccul.; Fer.; Kreos.; Lach.; Mag. mur.; Puls.; Sulph.; Thuya; Zinc.
chills, with. Kali carb.
headache, with. Nat. carb.
Black. *Mag. carb.;* Mag. mur.; *Oleum an.;* Puls.
During, hardness of hearing. Kreos.; Lach.
headache. Cal. carb.; Carbo. an.; Carbo. veg.; Con.; Kreos.; Lach.
leucorrhœa. Ars.; Iod.; Phos.; Puls.; Thuya.
pain in bowels. Puls.
pressing in anus. Impond.
rush of blood to head. Bell.; Cal. carb.
toothache. Acid nit.
vertigo. *Cal. carb.*
Feeble. Lach.; Nicol.
Increased. Acon.; *Castor.;* Iod.; Kreos.; *Sil. See Profuse.*
In clots. Mag. mur.
Irregular. Cocul.; Iod.
Leucorrhœa instead of. Cocculus; Phos.
Only in day time. Caust.
Only in the morning. Bov.; Carbo. an.
Pale. Alumina; Baryta carb.; Carbo. veg.; Sulph.
Painful. *Am. mur.;* Coll.; Gels.; Graph.; Kali carb.; Lach.; Nat. sul.; Nicol.; Oleum an.; Puls.; Sab.; Secale.
Premature. *See too early.*

Profuse. *Acid mur.; Acid nit.*; Ac. sul.; Acon.; Aletris; *Ars.;* Bap.; Bor.; Canth.; Cal. carb.; Caul.; China; Coccul.; Coll.; Granat.; Hepar sul.; *Iod.;* Kreos.; Lyc.; Mag. carb.; Merc.; Nat. sul.; Nicol.; Phyto.; *Plat.;* Ran.; Ruta; Sabina; *Secale;* Stann.; *Sil.*

Scanty. Alumina; *Baryta carb.;* Bor.; Caust.; Coccul.; Graph.; Ign.; Lach.; Lilium tig.; Lyc.; Mez.; *Nat. mur.;* Nat. sul.; Nicol.; Oleum; Petrol.; *Phos.;* Plat.; Puls.; Sars.; Sepia.

Suppressed. Agnus cast.; China; Coccul.; Con.; Dros.; Graph.; Kali carb.; Kali hy.; Kali nit.; Lyc.; Merc.; *Plat.;* Pod.; *Puls.;* Ran.; Sabina; Sang. con.

of Irish emigrants. *Plat.*

Too early. *Acid mur.; Acid nit.;* Acid sul.; Aletris; Ambrisa; *Am. mur.; Ars.;* Bap.; Bell.; Bor.; *Cal. carb.*; Canth.; Carbo. an.; Carbo. veg.; Caust.; Castor.; Con.; *Iod.;* Kali bi.; Kali carb.; Kreos.; *Lam.*; Lilium tig.; Lyc.; Mag. carb.; Mag. sul.; *Nat. mur.*; Nicol.; *Nux mos.*; *Nux vom.*; Oleum an.; Petrol.; *Phos.*; Phyto.; *Plat.*; *Prun.*; *Puls.*; Ran.; Ratan.; Ruta; Sab.; *Sep.*; Sil.; Stront.; Sul.

Too late. Acid sul.; Borax; Caust.; Fer.; Gels.; Graph.; *Hepar*; Hyper.; Ign.; Iod.; Lach.; Mag. carb.; *Mag. sul.*; Nat. mur.; Nat. sul.; Nicol.; *Nux mos.*; Petrol.; Phos.; *Sars.*; *Sepia;* Sul.

Too long. Cal. carb ; Lyc.; *Plat.*; *Puls.*; Secale.

With pain in back. *Caust.;* Nux mos.; Prunus; Puls.; Ratan.

Too short. Granat.; Lach.; Mag. sul.; Nicol.; *Puls.;* Stront.

Worse when sitting. Mag. mur.

when standing. Mag. carb.

URINE.

Acrid. Bap.
At night. *See Night.*
Bladder, pressure upon. Am. carb.; Alumina; Coff.; Nat. carb.; Sep.
Bloody. *See Red.*
Brown. Acid nit.; Arn.; Cal. carb.; *Prunus.*
Burning. *See Painful.*
Colorless. Ars.; Caust.; *Cham.;* Cinab.; Gels.; *Ign.;* Mag. carb.; Puls.
Color dark. Acid nit.; Æscul.; Arn.; Bap.; Cal. carb.; Carbo. veg.
Color straw. Caul.; China; *Hepar*; *Iod.*; *Merc.*
light. *Caust.;* Ham.; Hedeo.; Hepar.; Iod.; Lilium tig.; Merc.
Desire frequent. Acid nit.; *Acid phos.*; Am. mur.; Anac.; Ars.; *Bell.*; Bor.; *Bov.*; Carbo. veg.; *Caust.*; Coccul.; *Dros.*; *Guiac.*; Hepar; *Kali carb.*; Kali hy.; *Kreos.*; Lach.; *Lam.*; Lilium tig.; *Merc.*; Mil.; *Nat. mur.*; *Puls.*; Ratan.; Sang. can.; Sars.; *Sep.*; Sil.; Stann.; *Sulph.*
Desire sudden. Bor.; Guiac.; Nat. mur.
Desire diminished. Anac.; Ant. crud.; Ars.; Bap.; Castor.; *China*; Coccul.; Dros.; Ham.; *Kali nit.*; Kreos.; Lilium tig.; Mag. mur.; Merc.; *Nux mos.;* Podo.; *Prun.; Sars.;* Sil.; Stron.
Discharged in small quantities. *Arg. nit.*; Bor.; *Canth.;* Coff.; *Dros.*; Oleum; Ratan.; Sab.; Sep.
Dribbling. Arg. nit.; Coff.; *Petrol.*
Drops, as if. *Sep.*
During sleep. Ars.
Fetid. *Acid nit.;* Cal. carb.

Foaming. *Lach.*
Frequent. *Acid phos.; Acid mur.;* Æscul.; Ant. crud.; Ars.; Baryta card.; Bor.; Canth.; *Cal. carb.*; Caust.; China; Cinab.; Coccul.; Con.; Dros.; Gels.; Graph.; Hepar.; Hyd.; *Ign.*; Impond.; *Lach.*; Lilium tig.; *Nat. carb.*; *Petrol.*; Ruta; Sang. can.; Sars.; *Sulph.*
Frequent at night. *Acid nit.*; Cal. carb.
Grayish sand in. Sars.
Green. China; Kali carb.; Mag. carb.
Hot. Lilium tig.; Mezer.
Inability to pass only with stool. Alumina.
Increased. Ambra grisa; Hyd.; Phyto.
Ineffectual desire. *Nux vom.*
Intermits. Con.
Involuntary. Ars.; Carbo. an.; *Cham.*; Con.; Fer.; *Mag. carb.*; Nat. mur.; *Merc.*; Phos.; Podo.; *Puls.*; Ruta; Tabac.
Involuntary in day time. Fer. acet.
More than water drank. Aur.
Morning, in. Am. mur.; Lilium tig.
Night, at. Acid nit.; Alumina; Am. carb.; Ant. crud.; *Cal. carb.*; Cinab.; Gels.; Graph.; Hyper.; Lilium tig.; *Mag. sul.*; *Nux mos.;* Nux vom.; Podo.; Prun.; Sang. can.; Sil.; *Sulph.;* Tabac.
Odor strong. Acid nit.; Am. carb.; Kali hy.; Merc.
Painful. Acid nit.; Acid phos.; Aur.; Canth.; Caust.; Coll.; Hedeo.; Lilium tig.; Lyc.; Mag. mur.; Nat. carb.; Nux vom.; Plumb.; Sars.; Tart. emet.; Thuya.
Passes slowly. Carbo. veg.; Coff.; Dros.; Sabina.
Profuse. Acid mur.; Æscul.; Alumina; Am. carb.; Ant. crud.; Ars.; Bap.; Canth.; Carbo. an.; Caul.; *Cham.;* Cinab.; Gels.; Heyd.; *Kreos.*; *Lach.;* Lilium tig.; *Nat. carb.;* Nat. sul.; Phyto.; Sang. can.; Stann.; Sulph.
Red. Acon.; Carbo. veg.; Kali bi.; Kali hy.; *Merc.;* Nux vom.; Phyto.; Plat.; *Sepia; Tart. emet.*; Taxus; Thuya.

Retention of. Acid nit.; *Acid sul.*; Aur.; Bell.; Canth.; Hedeo.; *Iod.*; Puls.; Sabina; Sec.; Stann.
Scanty. *See Diminished.*
Sediment, brick-dust. *Arn.*; China; Lyc.; Lilium tig.; Mez.; *Nat. mur.*; *Nat. sul.*; Nux vom.; Phos.; *Sepia.*
Sediment, turbid. Carbo. an.; Merc.
white. Alumina; *Cal. carb.*; Iod.; Mag. carb.; Merc.; Phos.; Phyto.; Plat.
yellow. Lyc.; Nat. sul.
Smells sour. Merc.
Spasms of bladder. *Prunus.*
Starts slow. *Prunus.*
Stinging in urethra. Granatum.
Strangury. Con.; Taxus.
Straw color. Caul.
Suppression of. Hedeo.; Podo.; Secale.
painful. Aur.
painless. Acid nit.
Tenesmus of bladder. Arn.; Granat.; Hedeo.; Plumb.; *Sars.*
Turbid. Ambra grisa; Graph.; *Iod.*; *Kali carb.*; *Sep.*; *Zinc.*
Urethra, cutting in. Granat.
Urging to. Lach.; Nat. mur.; *Oleum*; Ratan.; Sulph.
Yellow. *Bell.*; Carbo. an.; China; *Hepar*; *Lach.*; Lyc.

STOOLS.

Anus, burning or cutting in. *Acid mur.*; Æscul.; *Ars.*; Aur.; *Bov.*; *Cal. carb.*; Canth.; Carbo. an.; Carbo. veg.; Castor.; Coccul.; Graph.; Hepar; Kali carb.; Lilium tig.; *Mag. mur.*; Mag. sul.; Ruta; *Zinc.*
creeping in. Hepar.; Ratan.
itching. Acid mur.; *Æscul.*; Bov.; Cal. carb.; Carbo. veg.; Granat.; Graph.; Hepar.; Kali carb.
pressing in. Impond.; Kali nit.
prolapsus. *Podo.*; Ratan.; *Ruta*; Sepia.
smarting. *Acid mur.*
sore. *Acid mur.*; Tabac.
stinging in. Acid mur.; Nicol.
Ascarides with. Mag. carb.
Better after. Cinab.; Merc.
Bloody. *Acid mur.*; *Acid nit.*; *Ant. crud.*; *Canth.*; Carbo. veg.; *Castor.*; Con.; Ham.; Iod.; Lam.; Nat. carb.; *Nat. mur.*; Nat. sul.; *Petrol.*
Changeable. *Podo.*
Chills, with. Baryta carb.
Colic, with. Hepar.; Nicol.; Plumb.; Ran.; Tabac.
Copious. Caul.
Costive. Acid nit.; Æscul.; *Ambra grisa*; Ars.; Aur. met.; Bap.; Cal. carb.; Carbo. veg.; Caust.; China; Coccul.; Coll.; Con.; Graph.; Guiac.; Ham.; Ign.; Iod.; Kali bi.; *Lach.*; *Lyc.*; Mag. carb.; Mag. mur.; Mag. sul.; Nat. sul.; Nicol.; *Nux vom.*; Phos.; Phyto.; Plat.; Podo.; Puls.; Sars.; Sepia; *Sil.*; *Sulph.*; Thuya; *Zinc.*
Day time, in. Am. mur.
Debility, with. *Secale.*

Delaying. Acid nit.; Acid sul.; Carbo. an.; Kali nit.; Oleum an.; *Sil.*; *Sulph.*
Desire for, frequent. Acid phos.; *Anacard.*; Caul.; Caust.; Fer.; *Merc.*; Nux vom.; Ruta.
Difficult. Nux mos.; Plat.; Ratan.; Stann.; Sulph.
Diarrhœa. *Acid phos.*; Alumina; *Ars.*; Aur.; Bap.; Bov.; Coff.; *Fer.*; Granat.; Hepar; Hyd.; Iod.; Kali nit.; Kali hyd.; Lilium tig.; *Meze.*; Nat. mur.; Nat. sul.; Petrol.; Prunus.; Puls.; Sabina; Sang. can.; Secale; *Sepia*; Tabac.; Tart. emet.
Diarrhœa at night. Aur.; Nux mos.
Fainting during. Borax; Cocculus.
Fetid. Impond.
Flatulence, with. Carbo. veg.
noisy. Arg. nit.
relieved by evacuating. Carbo. veg.; Mag. carb.
not relieved by evacuating. China.
Frequent. Arn.; Baryta carb.; *Fer.*; Granat.; *Puls.*
desire. *See Desire.*
Glutinous. *Plat.*
Green. *Arg. nit.*; Bell.; *Cham.*; Hyd.; Mag. carb.; Mag. mur.; Podo.
Gray. Acid phos.
Hard. Acid nit.; Am. carb.; Carbo. veg.; Castor.; China; Con.; Hyper.; Iod.; Kali nit.; Lach.; Lam.; Mag. carb.; Mag. mur.; *Mag. sul.*; *Nat. mur.*; *Nat. sul.*; Phos.; Podo.; Prun.; Ran.; Ratan; Sulph.
In day time. *Am. mur.*; *Anacard.*
In morning. Bov.; Lilium tig.; Plat.; Puls.
In pieces. *Guiac.*
Intermittent. Graph.; Kreos.; Stront.
Involuntary. Ruta.
Large. Prunus.
Light color. Cal. carb.; Hyd.
Like little balls. Kali nit.; Lach.; *Nux vom.*; Plumb.
Liquid. Ant. crud.; Impond.: Secale.

Loose. Æscul.; *Am. mur.*; Bap.; Baryta carb.; *Borax*; Cal. carb.; China; Coccul.; Dros.; Gels.; Lilium tig.; Nux vom; Puls.; Thuya.
Mucous. *Arg. nit.*; Canth.; *Castor.*; Graph.; Hyd.; *Ign.*; Iod.; Nux vom.; *Petrol.*; Puls.; Secale; Sulph.
Mushy. Bap.
Offensive. Arg. nit.
Painful. Baryta carb.; Carbo. an.; Merc.; Mill.; Tabac.
Pains around navel. Am. mur.
before, better after. Canth.; Cinab.
in bowels. Kali bi.
Papescent. Dros.; Gels.; Mag. mur.; Plat.
Piles. Acid mur.; *Æscul.*; *Carbo. an.*; Graph.; Ham.; *Kali carb.*; *Ruta.*
Rectum, burning or cutting in. *See Anus.*
itching in. Cal. carb.; *Granat.*; *Ratan.*
protrusion of. *Podo.*; *Ruta.*; Sepia.
stitches in. Carbo. an.
tenesmus. Æscul.; Alumina; Cocculus; Granat; Hepar; Hyper; Ign.; Kali nit.; Lach.; Mag. sul.; Merc.; Mill.; Taxus.
Retention of. *Acid sul.*; *Am. carb.*; *Nat. mur.*
Scanty. *Acid nit.*; Canth.; *Carbo. an.*; Cinab.; Con.; *Kali carb.*; Lam.; Plumb.; Taxus; Zinc.
Shuddering during. Bell.
Size of lumbrici. Graph.; Phos.
Slimy. Arn.; *Borax.*
Small. Arn.; Borax.
Soft. Borax; Canth.; Cinab.; Coccul.; Guiac.; Kali carb.; Kali nit.; Mag. mur.; Mag. sul.; Nat. carb.; Nicol.
Solid excrements, with. Ant. crud.
Straining, much. Alumina; Nux vom.
Undigested. Cal. carb.; Con.; Plat.; *Sulph.*
Unsuccessful desire for. Acid nit.; *Caust.*; Con.; Lyc.; Merc.; Oleum an.; Stann.; *Sulph.*
Watery. Acid mur.; Acon.; Caul.; Cham.; China; Iod.; *Nat. mur.*; Sulph.

When walking. *Carbo. an.*
White. Acid phos.; Acon.; Bell.; Iod.; Sulph.
Worms, as if. Bov.
Worse after. Ign.; Kali carb.; Lach.; Lyc.; *Mag. muv.*
before. Cinab.; Graph.; Lach.; Mag. carb.; Nat. carb.
Yellow. Acon.; *Borax*; China; Coccul.; Impond.; *Podo.*

LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on or before the date last stamped below.

X971 Cushing, A.M.
C98 Leucorrhoea. 59112
1872

NAME	DATE DUE